








## MASTER LACQUER SYSTEM





### **Complete range**

WOCA's Master Lacquer System is a complete solution that has been developed to meet the demands and expectations of professional flooring experts. The Master Lacquer System includes:

- Master fillers for filling gaps between floorboards, for example in older or solid wood floors
- Master primers for saturating surfaces and reducing side-bindings before lacquering
- Master lacquers developed and optimised for various different environments and loads
- Master Cleaner and Master Care for care and cleaning, to keep the surface looking attractive for a long time

### **Fast drying**

WOCA Master Lacquers are quick-drying water-based lacquers, whether or not you are working with a 2K hardener. The first coat

of top lacquer should be applied when the primer has dried. Sanding and vacuum cleaning can be performed after a few hours, after which the final coat of top lacquer can be applied. The treated area can be used with caution after a short interval and will be fully-hardened for normal use after just a few days. Exact drying times will depend on the various lacquers, room temperature and air humidity. You should therefore read the instructions for application as shown on the label or in the technical data sheet.

### **Easy application**

The lacquers feature superior flowability, collect nicely and are easy to apply with a roller, with no special equipment required. Master Lacquers are quick-drying and easy to sand between coats before adding the top coat. For best results, always sand between the two top coats of lacquer.



### **Superior performance**

WOCA Master Lacquers feature cross linking technology that produces a hard-wearing surface when compared with similar products on the market. For better results on high traffic areas, use MASTER XP-2K LACQUER or MASTER RD-2K LACQUER, which have been developed to withstand hard wear and tear in public areas, such as hallways with constant traffic.

As well as being hard-wearing, Master Lacquers are also highly resistant to chemicals. The lacquers have been tested against every imaginable type of everyday occurrence, such as spilt coffee, red wine, cola, detergents, oil and fat.

### **Attractive final results**

The extensive range of glosses, combined with a traditional, light or untreated look, make WOCA Master Lacquers an attractive option for many different environments. The lacquered surfaces

can be kept looking great as time goes on, if the right care and cleaning products are used. Master Cleaner effectively removes dirt for everyday cleaning. Stubborn marks and stains can be removed using WOCA Intensive Wood Cleaner. Lacquered surfaces that are subject to a lot of traffic can be ruined over time because of microscopic scratches caused by small stones and dirt. This matting process can be reduced by using WOCA Master Care, which levels out the scratches and refreshes the lacquered surface treatment.

The Master Lacquer System is your guarantee of long-lasting, attractive floor results.

PREPARE
Sanding
When staves: Gap filler
Sanding

# TREAT WOCA MASTER primer 1. Coat of MASTER lacquer Sanding 2. Coat of MASTER Lacquer Optional 3. Coat of MASTER Lacquer

# MAINTAIN REGULAR CLEANING OCCASIONAL CARE

### **PRIMER** - TREAT





### MASTER BASE PRIMER NATURAL

### Wood primer that produces a natural look

Base Primer is a thick-flowing water-based wood primer that is easy to sand. Base Primer seals the wood and minimizes penetration of tannic acid and side-bonding, which means it can be used on untreated or sanded surfaces. Because of its rapid drying time, the product is an attractive base primer coat for treatment using other aqueous WOCA floor lacquers. Base Primer a clear variant that humidifies the wood and produces a natural look.

- Quick-drying
- Reduces side-bonding
- Economic to use
- Minimizes penetration of tannic acid

### £35.00 per unit

Call us today for bulk buy discounts

### **MASTER MULTI PRIMER**

### Improves adhesion of lacquer

Master Multi Primer is a solvent-based, fast-drying and easy-to-sand wood primer, which will seal the wood and improve the adhesion of a subsequent coat of lacquer. Master Multi Primer is especially suitable as a problem-solving primer on old and previously treated floors, as well as a primer for exotic, oily wood varieties.

- Especially suited for troublesome wooden floors
- Quick-drying
- Minimizes side-bonding
- Solvent-based

### £35.00 per unit

PRODUCT INFORMATION		PRODUCT INFORMATION	
THINNER	Water-based	THINNER	Solvent-based
COVERAGE	8-12 m <sup>2</sup>	COVERAGE	8-12 m <sup>2</sup>
CONTAINER	5 L	CONTAINER	5 L
DRYING TIME	1-2 hours	DRYING TIME	30-60 minutes
TOOLS	Paint roller	TOOLS	Paint roller





### **MASTER OPTIMA LACQUER**

### For commercial areas with medium traffic

Master Optima Lacquer is a fast-drying water-based floor lacquer formulated to give the wood a durable and resistant surface. The high solid content colours the wood slightly and provides the surface with a rich and full appearance. The lacquer is easy to apply and has good resistance to water and chemicals, making it ideal for offices and other commercial areas subject to medium traffic. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

- Strong and resistant
- Rich and full appearance
- Low odour
- Indoor climate labelled

### £42.00 per unit

Call us today for bulk buy discounts

### **MASTER QP LACQUER**

### **Quick-drying performance for commercial areas**

Master QP Lacquer is a single-component water-based lacquer designed for offices and other commercial areas with medium traffic. Using this lacquer simplifies and speeds up the application process, as it dries fast and is easy to use. It has a high resistance to water and chemicals, and preserves the light Nordic look, as very little colour is added to the wood. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

- Dries fast without using hardener
- Strong and resistant
- Indoor climate labelled

### £42.00 per unit

PRODUCT INFORMATION				
GLOSS LEVEL	Matt/Gloss level ≈ 10 Silk-matt/Gloss level ≈ 20 Silk-gloss/Gloss level ≈ 40 Glossy/Gloss level ≈ 70	Matt/Gloss level ≈ 10 Silk-matt/Gloss level ≈ 20		
DURABILITY	***	***		
COVERAGE	8-10 m <sup>2</sup>	8-10 m <sup>2</sup>		
CONTAINER	5 L	5 L		
BUILD-UP	1 x Primer + 2 x Master Optima lacquer	Master Primer + 2 x Master QP Lacquer		
DRYING TIME				
CAUTIOUS USE	5 hours	5 hours		
FULLY HARD/ RUG COVERING	7 days	7 days		









### **MASTER TS-2K LACQUER**

### For high traffic corridors and sports areas

Master TS-2K Lacquer is a two-component, water-based floor lacquer specially developed for corridors, sports areas and multi-purpose halls exposed to high wear. It excels through a strong protection, an excellent durability and a remarkably high resistance to scuff marks, wear and scratches. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

- Very strong and resistant
- Approved for sports
- Excellent slip resistance
- Indoor climate labelled

### £59.00 per unit

Call us today for bulk buy discounts

### **MASTER XP-2K LACQUER**

### Extreme performance for public areas

Master XP-2K Lacquer is a water-based, two-component floor lacquer remarkable for its extremely high resistance to black heel marks, scratches and stains. Its superior performance is perfectly suited for public areas with heavy traffic, such as canteens and stairs. The extreme protection and resistance make the floors easy to clean and maintain. The wood is left with a rich and full appearance due to the high solid content. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

- Extreme strength and resistance
- Meets the highest standards for slip resistance
- Full and rich appearance
- Indoor climate labelled

### £59.00 per unit


PRODUCT INFORMATION				
GLOSS LEVEL	Matt/Gloss level 10 Silk-matt/Gloss level ≈ 20 Silk-gloss/Gloss level ≈ 40	Matt/Gloss level ≈ 10 Silk-matt/Gloss level ≈ 20 Silk-gloss/Gloss level ≈ 40		
DURABILITY	****	*****		
COVERAGE	8-10 m <sup>2</sup>	8-10 m <sup>2</sup>		
CONTAINER	4,5 L + 500 ml 2K Master Classic 2K Hardener	4,5 L + 500 ml 2K Master Classic 2K Hardener		
BUILD-UP	Master Primer + 2 x Master TS - 2K Lacquer	Master Primer + 2 x Master XP - 2K Lacquer		
DRYING TIME				
CAUTIOUS USE	5-6 hours	5-6 hours		
FULLY HARD/ RUG COVERING	5 days	5 days		

# MASTER INVISIBLE 2K LACQUER

### LACQUER WITH A NEUTRAL LOOK

Invisible 2K Lacquer is a high-quality water-based matt floor lacquer that has been specially developed as a lacquer when a light, untreated appearance is desired. The lacquer is based on a polyurethane binding agent, which will leave the surface with a texture resembling newly-sanded wood. The add-in hardening agent is an isocyanate-free hardener. The floor lacquer is indoor climate labelled and thus assures a good working environment during application, as well as a comfortable indoor climate afterwards.

- Does not contain isocyanates
- IBR-certified
- Gives the floor an untreated appearance and feel
- · Leaves the floor with a ultra matt look







### **NEUTRAL LOOK**

Provides the wood with a modern matt and untreated look.



### INDOOR CLIMATE LABELLED

Ensures a good working environment during application. Does not harm eco indoor air quality. Water based.



### EASY TO MAINTAIN

Can be cleaned and maintained with WOCA soap and care for lacquered surfaces.







### **MASTER RD-2K LACQUER**

### **Excellent resistance and durability for public areas**

Master RD-2K Lacquer is a two-component fast-drying floor lacquer that works with an isocyanate-free cross-linking hardener. It is intended for public areas with intense heavy traffic, such as canteens and stairs, due to its exceptionally strong protection, high slip resistance and extreme resistance to black heel marks, scratches and stains. The lacquer is completely clear and preserves the light look of the wood beautifully. This indoor climate labelled lacquer is applied in a convenient and safe way, and ensures a comfortable indoor climate afterwards.

- Extreme strength and resistance
- Meets the highest standards for slip resistance
- Light Nordic look
- Indoor climate labelled

### £69.00 per unit

PRODUCT INFORMATION				
GLOSS LEVEL	Matt/Gloss level ≈ 10 Silk-matt/Gloss level ≈ 20			
DURABILITY	****			
COVERAGE	8-10 m <sup>2</sup>			
CONTAINER	5 L + 100 ml Master 2K Hardener			
BUILD-UP	Master Primer + 2 x Master RD - 2K Lacquer			
DRYING TIME				
CAUTIOUS USE	5-6 hours			
FULLY HARD/ RUG COVERING	5 days			



### Distributor:



172 Brierley Road, Walton Summit Centre, Preston, PR5 8AH info@havwoodsaccessories.com 01772 696 600

